# VOLUME 69: AUTHOR INDEX


A

**Abbott M** *see* Eley A *et al*
**Abdullah MS** *see* Rogstad KE *et al*
**Agbalika F** *see* Felten A *et al*
**Ahmed-Jushuf IH** *see* Rogstad KE *et al*
**Ajayi JA** *see* Ikeh EI *et al*
**Akingeneye J** *see* Bogaerts J *et al*
**Alawattegama AB** *see* Williams OE *et al*
Dhar J *et al*
**Alder MB** *see* Eron LJ *et al*
**Alexander R** *et al.* Low prevalence of chlamydial endocervical infection in antenatal South Indian women: *correspondence*, **240**
**Allason Jones E** *see* Mumtaz G *et al*
**Anand JK, de la Court A.** The importance of ethnicity as a risk factor for STDs and sexual behaviour: *matters arising*, **158**
**Arnold D.** Sexually transmitted diseases in nineteenth and twentieth century India, **3**
**Ashley RL.** Laboratory techniques in the diagnosis of herpes simplex infection, **174**
**Australian Gonococcal Surveillance Programme.** The incidence of gonorrhoea and the antibiotic sensitivity of gonococci in Australia, 1981–1991, **364**
**Aznar J** *et al.* Dual genitotropic human papillomavirus infections in genital warts, **60**

B

**Bagaratee J** *see* Kharsany ABM *et al*
**Baglin T** *see* Unsworth DJ *et al*
**Bailey J** *see* Opaneye AA *et al*
**Bailey SE** *see* Kok T-W *et al*
**Bamber SD** *et al.* A history of sexually transmitted diseases in Thailand: policy and politics, **148**
**Bannatyne RM** *see* Fong IW *et al*
**Barongo L** *see* Mosha F *et al*
Newell J *et al*
**Barreto J** *see* Vuylsteke B *et al*
**Barton SE** *see* Russell JM *et al*
Shah PN *et al*
**Bastos R** *see* Vuylsteke B *et al*
**Bates CM.** The management of patients with inflammatory smear results in general practice, **126**
**Bazex J** *see* El Sayed F and Bazex J
**Beck S** *see* Nathan M and Beck S
**Bell R** *see* Birley HDL *et al*
**Bello CSS** *see* Ikeh EI *et al*
**Bergström S** *see* Lindstrand A *et al*
**Berkley S** STD Diagnostics Initiative: *correspondence*, **242**
**Bezemer PD** *see* Boeke AJP *et al*
**Billson V** *see* Chen S *et al*
**Bingham JS** Obituary: Robert Duncan Catterall, CBE, FRCP, FRCPE, **467**
*see also* Evans JK *et al*
**Birley H** *see* Renton A *et al*
**Birley HDL** *et al.* Clinical features and management of recurrent balanitis; association with atopy and genital washing, **400**
**Bispham A** *see* Radcliffe KW *et al*
**Blackwell AL.** Penicillinase producing *Neisseria gonorrhoeae* associated with severe vulvovaginitis in a post menopausal women: *correspondence*, **482**
**Bodha M** *see* Williams OE *et al*
**Bodsworth NJ** *et al.* A case of gonococcal mastitis in a male, **222**
**Boeke AJP** *et al.* A comparison of yield from cervix versus vagina for culturing *Candida albicans* and *Trichomonas vaginalis*, **41**
Effect of lactic acid suppositories compared with oral metronidazole and placebo in bacterial vaginosis: a randomised clinical trial, **388**
**Bogaerts J** *et al.* Effectiveness of norfloxacin and ofloxacin for treatment of gonorrhoea and decrease of in vitro susceptibility to quinolones over time in Rwanda, **196**
**Bolmstedt A** *see* Löwhagen G-B et al
**Bond RA** *see* Evans BA *et al*
**Bonigal SD** *see* Matthews RS *et al*
**Book reviews**
Adler MW. ABC of AIDS, 3rd ed, 1993, **409**
Allen I, Hogg D. Work roles and responsibilities in genitourinary medicine clinics, 1993, **409**
Banerjee AK. The radiology of acquired immune deficiency syndrome, 1993, **408**
Birchall MA, Murphy SM. Colour guide—HIV infection and AIDS, 1992, **158**
Bird AG, *editor.* Immunology of HIV infection, 1992, **486**
Bodey GP, *editor.* Candidiasis: pathogenesis, diagnosis and treatment, 1993, **326**
Kotler D, *editor.* Gastrointestinal and nutritional manifestations of the acquired immunodeficiency syndrome, 1993, **485**
Myint S, Cann A, *editors.* Molecular and cell biology of opportunistic infections in AIDS, 1992, **326**
Quétal C. History of syphilis, 1990, translated by Braddock J & Pike B, **245**
Ridley CM, Oriel JD, Robinson AJ. A colour atlas of diseases of the vulva, 1992, **327**
Stanway A. The lovers' guide III, **409**
**Borg AJ** *see* Chen S *et al*
**Borgdorff M** *see* Mosha F *et al*
Newell J *et al*
**Bosma RB.** The localisation of treponemes in skin biopsies: *matters arising*, **408**
**Botcherby M** *see* Hillman RJ *et al*
**Boucher EC** *see* van Griensven GJP *et al*
**Bourgaux-Ramoisy D** *see* Frost EH *et al*
**Boxall EH** *see* Huengsberg MIA *et al*
**Bradbeer C** *see* O'Farrekk B and Bradbeer C
**Bradley M** *see* Dhar J *et al*
**Brevi A** *et al.* Prevalence and awareness of hepatitis B virus carrier status in Italy: *correspondence*, **241**
**Brew BJ.** The pathogenesis of the neurological complications of HIV infection, **333**
**Brink NS** *see* Grant AD *et al*
**Bromberg K** *see* Rawstron SA *et al*
**Brookes JL** *et al.* Adjustment to the psychological and social sequelae of recurrent genital herpes simplex infection, **384**
**Brown DL** *see* Unsworth DJ *et al*
**Bugalho A** *see* Lindstrand A *et al*
**Burrows NP** *et al.* Cutaneous vasculitis presenting on the penis, **301**
**Buscombe JR** *see* Grant A *et al*
**Butterworth L** *see* Coker DM *et al*
**Byren I** *et al.* Carcinoma of the vulva and asymptomatic lichen sclerosus: *correspondence*, **323**
**Byrne M** *see* Birley HDL *et al*

C

**Cainelli T** *see* Brevi A *et al*
**Calderón E** *see* Conde-Glez CJ *et al*
**Camarena JJ** *see* Dasi MA *et al*
**Carlin EM** *et al.* Systemic *Pneumocystis carinii* pneumonia prophylaxis with dapsone and pyrimethamine fails to protect against extrapulmonary pneumocystosis, **130**
**Carne C** *see* Unsworth DJ *et al*
**Carne CA** *see* Burrows NP *et al*
Evans JK *et al*
**Carney O** *et al.* The effect of suppressive oral acyclovir on the psychological morbidity associated with recurrent genital herpes, **457**
**Casafont F** *see* Echevarria S *et al*
**Catalan J** *see* Russell JM *et al*
**Catterall RD.** Presidential Address to the M.S.S.V.D. Systemic disease and the biological false positive reaction, **469**
**Changalucha J** *see* Mosha F *et al*
Newell J *et al*
**Chen S** *et al.* The absence of HPV DNA in genital specimens from infants, **270**
**Christofinis G** *see* Hunt AJ *et al*
**Clark S** *see* Mumtaz G *et al*
**Coker DM** *et al.* Establishing a satellite genitourinary medicine clinic: *correspondence*, **480**
**Coker RJ** *see* Carlin EM *et al*
Horner PJ *et al*
**Conde-Glez CJ** *et al.* Historical account of venereal diseases in Mexico, **462**
**Connell J** *see* Hunt AJ *et al*
**Cook LS** *et al.* Clinical presentation of genital warts among circumcised and uncircumcised heterosexual men attending an urban STD clinic, **262**
**Corcoran GD** *see* Grant A *et al*
**Coutinho RA** *see* Fennema JSA *et al*
van Griensven GJP *et al*
van Haastrecht HJA *et al*
**Cowan FM, Mindel A.** Sexually transmitted diseases in children: adolescents, **141**
**Coxon APM** *see* Hunt AJ *et al*

**Cracknell M** *see* Russell JM *et al*
**Crespo J** *see* Echevarria S *et al*
**Cronberg S.** The rise and fall of sexually transmitted diseases in Sweden, **184**
**Crowley S** *see* Horner PJ *et al*
**Crucitti T** *see* Vuylsteke B *et al*

D
**Dalton B** *see* Coker DM *et al*
**Dasi MA** *et al.* Random amplification of polymorphic DNA of penicillinase-producing *Neisseria gonorrhoeae* strains: *correspondence*, **404**
**Davidse W** *see* Treurniet HF and Davidse W
**Davies PM** *see* Hunt AJ *et al*
**D'Costa LJ** *see* Kohl PK and D'Costa LJ
**de la Court A** *see* Anand JK and de la Court A
**de Ruiter A.** Opportunistic infections. Feedback from Eighth International AIDS Conference, Amsterdam, July 1992, **231**
**De Wet DH** *see* Donders GGG *et al*
**Dekker JH** *see* Boeke AJP *et al*
**DePamphilis J** *see* Eron LJ *et al*
**Deslandes S** *see* Frost EH *et al*
**Desmyter J** *see* Donders GGG *et al*
**Dhar J** *et al.* Opportunistic cervical cytology screening in a genitourinary medicine department: is it worthwhile? *correspondence*, **479**
**Dickson N** *et al.* Adolescents, sexual behaviour and implications for an epidemic of HIV/AIDS among the young, **133**
**Dikötter F.** Sexually transmitted diseases in modern China: a historical survey, **341**
**Dohn B** *see* Jensen JS *et al*
**Domeika M** *see* Svensson L-O *et al*
**Donders GGG** *et al.* The association of gonorrhoea and syphilis with premature birth and low birthweight, **98**
**Dusauchoit T** *see* Vuylsteke B *et al*

E
**Echevarria S** *et al.* Risk for hepatitis C virus (HCV) and human immunodeficiency virus (HIV) infections among prostitutes: *correspondence*, **321**
**Edwards A** *see* Byren I *et al*
**El Sayed F, Bazex J.** Chronic perianal ulcerations: role of *Trichomonas vaginalis*? *correspondence*, **483**
**Eley A, Khalili M.** Mixed infections of *Chlamydia trachomatis* may be missed using nested PCR: *correspondence*, **481**
**Eley A** *et al.* Epidemiology of *Chlamydia trachomatis* using nested PCR: *correspondence*, **239**
**Elton RA** *see* Ross JDC *et al*
**Engelkens HJH** *et al.* The importance of different components of normal human serum and lysozyme in the rapid immobilisation of purified *Treponema pallidum*, Nichols strain, **280**
The localisation of treponemes and characterisation of the inflammatory infiltrate in skin biopsies from patients with primary or secondary syphilis or early infectious yaws, **102**; correction, **327**
**Eron LJ** *et al.* Recurrence of condylomata acuminata following cryotherapy is not prevented by systemically administered interferon, **91**
**Evander M** *see* Strand A *et al*
**Evans BA** *et al.* Exophytic cervical warts—an indication for colposcopy? *matters arising*, **244**
Risk profiles for genital infection in women, **257**
*see also* Radcliffe KW *et al*
**Evans DTP.** *Actinomyces israelii* in the female genital tract: a review, **54**
**Evans JK** *et al.* Attitudes of medical students to HIV and AIDS, **377**

F
**Fairley CK** *see* Chen S *et al*
**Fairley I** *see* Murphy M *et al*
**Felten A** *et al.* Primary HIV infection associated with prominent genital ulcers: *correspondence*, **78**
**Fennema JSA** *et al.* HIV prevalence among clients attending a sexually transmitted diseases clinic in Amsterdam: the potential risk for heterosexual transmission, **23**
*see also* van Haastrecht HJA *et al*
**Ferchal F** *see* Felten A *et al*
**Folgosa E** *see* Vuylsteke B *et al*
**Fong IW** *et al.* Lack of in vitro resistance of *Candida albicans* to ketoconazole, itraconazole and clotrimazole in women treated for recurrent vaginal candidiasis, **44**
**Forslund O** *see* Rymark P *et al*
**Forster GE** *see* Goh BT and Forster GE
**Fox JD** *see* Grant AD *et al*
**French R** *see* Lister P *et al*
**Frost EH** *et al.* Sensitive detection and typing of *Chlamydia trachomatis* using nested polymerase chain reaction, **290**

G
**García R** *see* Dasi MA *et al*
**Gardner WA** *see* Pindak FF *et al*
**Garland SM** *see* Chen S *et al*
**Geddy PM** *et al.* Lack of detection of human papillomavirus DNA in male urine samples, **276**
**Gibb D.** Issues for women and children. Feedback from Eighth International AIDS Conference, Amsterdam, July 1992, **234**
**Godley MJ.** The Medical Society for the Study of Venereal Diseases, report, **82**
**Godschalk JCJ** *see* Engelkens HJH *et al*
**Goh BT, Forster GE.** Sexually transmitted diseases in children: chlamydial oculo-genital infection, **213**
**Goldin RD** *see* Carlin EM *et al*
**Goorney B** *see* Jebakumar SPR *et al*
**Gould EM** *see* Pattman RS and Gould EM
**Gouws E** *see* Kharsany ABM *et al*
**Grant A** *et al.* Paranasal sinus disease in HIV antibody positive patients, **208**
*Staphylococcus aureus* pericarditis in a patient with AIDS: *correspondence*, **324**
**Grant AD** *et al.* Detection of varicella-zoster virus DNA using the polymerase chain reaction in an immunocompromised patient with transverse myelitis secondary to herpes zoster, **273**
**Grant HR** *see* Grant A *et al*
**Green J** *see* Brookes JL *et al*
**Grosskurth H** *see* Mosha F *et al*
Newell J *et al*
**Gwanzura L** *see* Le Bacq F *et al*

H
**Hall LA.** "The Cinderella of Medicine": sexually transmitted diseases in Britain in the nineteenth and twentieth centuries, **314**
**Hammerschlag MR** *see* Rawstron SA *et al*
**Hansson BG** *see* Rymark P *et al*
**Harris JRW** *see* Carlin EM *et al*
Horner PJ *et al*
Renton AM *et al*
**Hart G.** Behavioural change. Feedback from Eighth International AIDS Conference, Amsterdam, July 1992, **227**
Factors associated with genital chlamydial and gonococcal infection in males, **393**
**Hayes R** *see* Mosha F *et al*
Newell J *et al*
**Haywood S** *see* Brookes JL *et al*
**Hederstedt B** *see* Lindstrand A *et al*
**Helgesson A-M** *see* Lindstrand A *et al*
**Henquet CJM** *see* Fennema JSA *et al*
**Herbison P** *see* Dickson N *et al*
**Hernández-Avila M** *see* Conde-Glez CJ *et al*
**Hernández J** *see* Dasi MA *et al*
**Hewison KJ** *see* Bamber SD *et al*
**Hickson FCI** *see* Hunt AJ *et al*
**Hillman RJ** *et al.* Changes in HPV infection in patients with anogenital warts and their partners, **450**
Human papillomavirus DNA in the urogenital tracts of men with gonorrhoea, penile warts or genital dermatoses, **187**
**Hiltunen-Back E** *see* Kontiainen S *et al*
**Hippeläinen MI** *et al.* Diagnosis of genital human papillomavirus (HPV) lesions in the male: correlation of peniscopy, histology and in situ hybridisation, **346**
**Hippeläinen MJ** *see* Hippeläinen MI *et al*
**Holmes KK** *see* Cook LS *et al*
**Hoosen AA** *et al.* Microbiology of acute epididymitis in a developing community, **361**
*see also* Kharsany ABM *et al*
**Horner PJ** *et al.* Outpatient follow-up in women with HIV infection in Parkside Health Authority (UK), **370**
**Huengsberg MIA** *et al.* Hepatitis B infection post Engerix B vaccination: *correspondence*, **406**
**Hunt AJ** *et al.* The testing of saliva samples for HIV-1 antibodies: reliability in a non-clinic setting, **29**

I
**Iatrakis GM** *see* Shah PN *et al*
**Ikeh EI** *et al.* In vitro susceptibility of *Trichomonas vaginalis* strains to metronidazole—a Nigerian experience: *correspondence*, **241**
**Ikkos G** *see* Carney O *et al*
**Ison CA** *see* Renton AM *et al*
**The Italian MEGIC Group.** Determinants of cervical *Chlamydia trachomatis* infection in Italy, **123**

J
**Jasper P** *see* Alexander R *et al*
**Jebakumar SPR** *et al.* Non tuberculous cavitory disease in a West African man with AIDS: *matters arising*, **408**
**Jensen JS** *et al. Mycoplasma genitalium*: a cause of male urethritis? **265**
**Johal B** *see* Mumtaz G *et al*
**Johnson EM** *see* White DJ *et al*

**Jolly M** *see* Smith JR *et al*
**Juárez-Figueroa L** *see* Conde-Glez CJ *et al*
**Judanarso J** *see* Engelkens HJH *et al*

K
**Kant M** *see* Engelkens HJH *et al*
**Keenlyside R.** Epidemiology. Feedback from Eighth International AIDS Conference, Amsterdam, July 1992, **224**
**Kempson R** *see* Lister P *et al*
**Khalili M** *see* Eley A *et al*
Eley A and Khalil M
**Kharsany ABM** *et al.* The association between sexually transmitted pathogens and cervical intra-epithelial neoplasia in a developing country, **357**
**Killewo J** *see* Mosha F *et al*
Newell J *et al*
**Kinghorn GR** *see* Nageswaran A and Kinghorn GR
**Kirtland K** *see* Renton AM *et al*
**Kitchen VS** *see* Shah PN *et al*
Smith JR *et al*
**Kleist E, Moi H.** Transmission of gonorrhoea through an inflatable doll: *correspondence*, **322**
**Klint JAPCM** *see* van Haastrecht HJA *et al*
**Klokke A** *see* Mosha F *et al*
Newell J *et al*
**Kohl PK, D'Costa LJ.** Small spectrum of prevalent gonococcal auxotype/serovar classes in Africa: *matters arising*, **485**
**Kok T-W** *et al.* Urine and the laboratory diagnosis of *Chlamydia trachomatis* in males, **51**
**Kontiainen S** *et al.* Direct culture of gonococci in the patient care area: *correspondence*, **405**
**Kostense PJ** *see* Boeke AJP *et al*
**Kourounis G** *see* Shah PN *et al*
**Koutsky LA** *see* Cook LS *et al*
**Kumar ND** *et al.* Paroxysmal cold haemoglobinuria in syphilis patients: *correspondence*, **76**
**Kupek E** *see* Renton AM *et al*

L
**Lacey C** *see* Renton A *et al*
**Lacey CJN** *see* Geddy PM *et al*
**Laga M** *see* Vuylsteke B *et al*
**Latif AS** *see* Le Bacq F *et al*
**Le Bacq F** *et al.* HIV and other sexually transmitted diseases at a rural hospital in Zimbabwe, **352**
**Lecompte T** *see* Felten A *et al*
**Ledesma E** *see* Dasi MA *et al*
**Lewis M, Waugh M.** The history of STDs: *editorial*, **2**
**Lind K** *see* Jensen JS *et al*
**Lindholm K** *see* Rymark P *et al*
**Lindstrand A** *et al.* Prevalence of syphilis infection in Mozambican women with second trimester miscarriage and women attending antenatal care in second trimester, **431**
**Lister P** *et al.* Teenagers and the risk of STD: *matters arising*, **80**
**Loveday C, Mercey D.** The prevalence of human retroviral infections in female patients attending a central London sexually transmitted disease clinic: 1985–1990, **31**
**Löwhagen G-B** *et al.* The prevalence of "high-risk" HPV types in penile condyloma-like lesions: correlation between HPV type and morphology, **87**
**Luzzi GA** *see* Birley HDL *et al*

M
**Mabey D** *see* Mosha F *et al*
Newell J *et al*
**McBride M** *see* Horner PJ *et al*
**McManus TJ** *see* Hunt AJ *et al*
**MacRae KD** *see* Evans BA *et al*
**Mandal BK** *see* Jebakumar SPR *et al*
**Mårdh P-A** *see* Svensson L-O *et al*
**Mason PR** *see* Le Bacq F *et al*
**Mathai E** *see* Alexander R *et al*
**Mathew M** *see* Alexander R *et al*
**Matthews RS** *et al.* Evaluation of an enzyme-linked immunoassay and confirmatory test for the detection of *Chlamydia trachomatis* in male urine samples, **47**
**Mayall E.** *Actinomyces israelii* in the female genital tract: *matters arising*, **158**
**Mercey D.** Disease progression and survival. Feedback from Eighth International AIDS Conference, Amsterdam, July 1992, **233**
*see also* Loveday C and Mercey D
**Miller CJ** *see* Mumtaz G *et al*
**Miller RF** *see* Grant A *et al*
Grant AD *et al*
**Mindel A.** Editorial, **1**
*see also* Carney O *et al*; Cowan FM and Mindel A
**Moi H** *see* Kleist E and Moi H
**Mondlane J** *see* Vuylsteke B *et al*
**Moodley J** *see* Kharsany ABM *et al*
**Mora de Pindak M** *see* Pindak FF *et al*
**Moreno F** *see* Dasi MA *et al*
**Mosha F** *et al.* A population-based study of syphilis and sexually transmitted disease syndromes in north-western Tanzania. 1. Prevalence and incidence, **415**
*see also* Newell J *et al*
**Mukantabana V** *see* Bogaerts J *et al*
**Mulcahy F** *see* Murphy M and Mulcahy F
**Muller AS** *see* Mosha F *et al*
Newell J *et al*
**Mumtaz G** *et al.* Comparison of an enzyme immuno assay (Antigenz Chlamydia) with cell culture for the detection of genital chlamydial infection in high and low risk populations, **119**
**Murphy M, Mulcahy F.** Fournier's gangrene and HIV disease: *matters arising*, **326**
**Murphy M** *et al.* Exophytic cervical warts—an indication for colposcopy: *matters arising*, **81**
**Murphy SM** *see* Horner PJ *et al*

N
**Nageswaran A, Kinghorn GR.** Sexually transmitted diseases in children: herpes simplex virus infection, cytomegalovirus infection, hepatitis B virus infection and molluscum contagiosum, **303**
**Naldi L** *see* Brevi A *et al*
**Nathan M, Beck S.** Tissue erosion with perianal warts in HIV infection, **312**
**Nayyar V** *see* Alexander R *et al*
**Nelson MJ** *see* Bodsworth NJ *et al*
**Newell J** *et al.* A population-based study of syphilis and sexually transmitted disease syndromes in north-western Tanzania. 2. Risk factors and health seeking behaviour, **421**
*see also* Mosha F *et al*
**Nicoll A** *see* Mosha F *et al*
Newell J *et al*
**Nogueira JM** *see* Dasi MA *et al*

O
**O'Farrell N.** Clinico-epidemiological study of donovanosis in Durban, South Africa, **108**
**Bradbeer C.** Pulmonary nocardiosis in a West African man with HIV-1 infection: *matters arising*, **244**
Soap and water prophylaxis for limiting genital ulcer disease and HIV-1 infection in men in sub-Saharan Africa, **297**
*see also* Hoosen AA *et al*
**Ojeda A** *see* Aznar J *et al*
**Onvlee PC** *see* Engelkens HJH *et al*
**Opaneye AA** *et al.* Analysis of failed appointments in a genitourinary department in the West Midlands of the UK: *correspondence*, **322**
**O'Rourke JM** *see* Eron LJ *et al*
**Ørsum R** *see* Jensen JS *et al*

P
**Pallecaros A** *see* Lister P *et al*
**Palomares JC** *see* Aznar J *et al*
**Pandhi RK** *see* Kumar ND *et al*
**Pandit PG** *see* Matthews RS *et al*
**Parazzini F** *see* Brevi A *et al*
**Parker E** *see* Opaneye AA *et al*
**Parry JV** *see* Hunt AJ *et al*
**Pattman RS, Gould EM.** Partner notification for HIV infection in the United Kingdom: a look back on seven years experience in Newcastle upon Tyne, **94**
**Paul C** *see* Dickson N *et al*
**Payne LE** *see* Kok T-W *et al*
**Peerbooms PGH** *see* Boeke AJP *et al*
**Pelayo T** *see* Echevarria S *et al*
**Petersen CS** *see* Weismann K *et al*
**Petersen LJ** *see* Weismann K *et al*
**Phillips AN.** Epidemiology II. Feedback from Eighth International AIDS Conference, Amsterdam, July 1992, **225**
**Phillips I** *see* Warren C and Phillips I
**Pindak FF** *et al.* Contact-independent cytotoxicity of *Trichomonas vaginalis*, **35**
**Piot P** *see* Bogaerts J *et al*
Vuylsteke B *et al*
**Pitkin AD** *see* Grant A *et al*
**Pizzuti DJ** *see* Eron LJ *et al*
**Pons Romero F** *see* Echevarria S *et al*
**Pratt K** *see* Evans JK *et al*
**Price R** *see* Bodsworth NJ *et al*

R
**Radcliffe KW** *et al.* A comparison of sexual behaviour and risk behav-

iour for HIV infection between women in three clinical settings, **441**
*see also* Huengsberg MIA *et al*; Matthews RS *et al*
**Rawstron SA** *et al.* STD in children: syphilis and gonorrhoea, **66**
**Rege VL, Shukla P.** Osteomyelitis presenting as genital sore: a case report, **460**
**Reginald P** *see* Smith JR *et al*
**Renton A** *et al.* A colposcopic case control study of cervical squamous epithelial lesions: *matters arising*, **80**
**Renton AM** *et al. Neisseria gonorrhoeae* isolated at St. Mary's Hospital London, 1980-1991, **286**
*see also* Birley HDL *et al*; Horner PJ *et al*
**Ridgway GL** *see* Mumtaz G *et al*
**Rittweger K** *see* Eron LJ *et al*
**Roberts SOB** *see* Burrows NP *et al*
**Robertson VJ** *see* Le Bacq F *et al*
**Robinson A** *see* Lister P *et al*
**Rodriguez-Pichardo A** *see* Aznar J *et al*
**Rogstad KE** *et al.* HIV disease in Africans of high social class: *correspondence*, **242**
**Ross E** *see* Carney O *et al*
**Ross JDC, Scott GR.** The association between HIV media campaigns and number of patients coming forward for HIV antibody testing, **193**
**Ross JDC** *et al.* The epidemiology of herpes simplex types 1 and 2 infection of the genital tract in Edinburgh 1978–1991, **381**
**Rowen D** *see* Unsworth DJ *et al*
**Rugemalila J** *see* Mosha F *et al*
Newell J *et al*
**Russell JM** *et al.* Management of genital herpes by genitourinary physicians: does experience or doctor's gender influence clinical management?, **115**
**Ryait BK** *see* Hillman RJ *et al*
**Ryd W** *see* Löwhagen G-B *et al*
**Rylander E** *see* Strand A *et al*
**Rymark P** *et al.* Genital HPV infection not a local but a regional infection: experience from a female teenage group, **18**

S
**Saarikoski S** *see* Hippeläinen MI *et al*
**Salas C** *see* Echevarria S *et al*
**San Miguel G** *see* Echevarria S *et al*
**Savage M** *see* Smith JR *et al*
**Scheinin L** *see* Kontiainen S *et al*
**Schneider A.** Pathogenesis of genital HPV infection, **165**
**Scott GR** *see* Ross JDC and Scott GR
**Scott M** *see* Coker DM *et al*
**Semple M.** Virology. Feedback from Eighth International AIDS Conference, Amsterdam, July 1992, **229**
**Senkoro K** *see* Mosha F *et al*
Newell J *et al*
**Sethi S** *see* Kumar ND *et al*
**Shah P** *see* Smith JR *et al*
**Shah PN** *et al.* Women with HIV presenting at three London clinics between 1985–1992, **439**
**Shukla P** *see* Rege VL and Shukla P
**Slavin J** *see* Chen S *et al*
**Smith IW** *see* Ross JDC *et al*
**Smith JR** *et al.* Is endometrial infection with *Candida albicans* a cause of recurrent vaginal thrush? **295**
*see also* Shah PN *et al*
**Snelling M** *see* Radcliffe KW *et al*
**Sockanathan R.** HIV infection in Tirupathi, India: *matters arising*, **81**
**Sonnex C** *see* Burrows NP *et al*
Unsworth DJ *et al*
**Steer PJ** *see* Shah PN *et al*
**Stolz E** *see* Engelkens HJH *et al*
**Strand A** *et al.* Genital human papillomavirus infection among patients attending an STD clinic, **446**
**Sutherland S** *see* Hunt AJ *et al*
**Svensson L-O** *et al.* Cervical sampling for diagnosis of genital chlamydial infection with a new brush device, **397**
**Sweeney B.** Neurology. Feedback from Eighth International AIDS Conference, Amsterdam, July 1992, **232**
**Syrjänen K** *see* Hippelinen MI *et al*
**Syrjänen S** *see* Hippelinen MI *et al*

T
**Tabrizi SN** *see* Chen S *et al*
**Tasker T** *see* Evans BA *et al*
Radcliffe KW *et al*
**Taylor-Robinson D** *see* Birley HDL *et al*
Hillman RJ *et al*
**Tello WM** *see* Bogaerts J *et al*
**Tembo G.** National STD trends in Zambia 1987–1989: *matters arising*, **81**
**ten Kate FJW** *see* Engelkens HJH *et al*
**Tenant-Flowers M.** Opportunistic infections. Feedback from Eighth International AIDS Conference, Amsterdam, July 1992, **230**
**Tesfaledet G** *see* Rogstad KE *et al*
**Tharakaram S.** HIV infection in Tirupathi, India: *matters arising*, **81**
**Thirlby D** *see* Lister P *et al*
**Torres MJ** *see* Aznar J *et al*
**Treurniet HF, Davidse W.** Sexually transmitted diseases reported by STD services in the Netherlands, 1984990, **434**

U
**Uldum S** *see* Jensen JS *et al*
**Underwood PJ** *see* Bamber SD *et al*
**Unsworth DJ** *et al.* Defective IgG2 response to *Pneumovax* in HIV seropositive patients, **373**

V
**van Ameijden EJC** *see* Fennema JSA *et al*
**Van Assche FA** *see* Donders GGG *et al*
**van den Ende J** *see* Hoosen AA *et al*
**van den Hoek JAR** *see* Fennema JSA *et al*
van Haastrecht HJA *et al*
**van der Helm TCM** *see* van Haastrecht HJA *et al*
**van der Sluis JJ** *see* Engelkens HJH *et al*
**van Doornum GJJ** *see* Fennema JSA *et al*
**Van Dyck E** *see* Bogaerts J *et al*
**van Eijk JThM** *see* Boeke AJP *et al*
**van Griensven GJP** *et al.* Oro-anal sex and the occurrence of Kaposi's sarcoma: *correspondence*, **77**
**van Haastrecht HJA** *et al.* HIV prevalence and risk behaviour among prostitutes and clients in Amsterdam: migrants at increased risk for HIV infection, **251**
**van Lier JBHJ** *see* Engelkens HJH *et al*
**Velema J** *see* Mosha F *et al*
Newell J *et al*
**Venning V** *see* Byren I *et al*
**von Schoenberg M** *see* Grant A *et al*
**Voog E** *see* Löwhagen G-B *et al*
**Vuylsteke B** *et al.* High prevalence of sexually transmitted diseases in a rural area in Mozambique, **427**
**Vuzevski VD** *see* Engelkens HJH *et al*

W
**Waddell RG** *see* Kok T-W *et al*
**Wade AA** *see* Opaneye AA *et al*
**Wadell G** *see* Strand A *et al*
**Walker MM** *see* Birley HDL *et al*
**Walzman M** *see* Opaneye AA *et al*
**Warnock DW** *see* White DJ *et al*
**Warren C, Phillips I.** Penicillinase producing *Neisseria gonorrhoeae* from St Thomas' Hospital 1976–1990—The first fifteen years, **201**
**Waugh M** *see* Lewis M and Waugh M
**Waugh MA.** Dr P G Bakker, obituary, **320**
**Weatherburn P** *see* Hunt AJ *et al*
**Weber JN** *see* Horner PJ *et al*
**Weismann K** *et al.* Wassermann reaction in peripheral blood of patients with secondary syphilis and human immunodeficiency virus infection: *correspondence*, **77**
**Wells C** *see* Shah PN *et al*
Smith JR *et al*
**Wells M** *see* Geddy PM *et al*
**Weström L, Wölner-Hanssen P.** Pathogenesis of pelvic inflammatory disease: review, **9**
**Whitaker L** *see* Renton A *et al*
Renton AM *et al*
**White DJ** *et al.* Management of persistent vulvo vaginal candidosis due to azole-resistant *Candida glabrata*, **112**
**Williams I.** Antiretroviral treatment. Feedback from Eighth International AIDS Conference, Amsterdam, July 1992, **236**
**Williams OE** *et al.* Outcome of cold coagulation for the treatment of cervical intraepithelial neoplasia in a department of genitourinary medicine, **63**
**Wilson J** *see* Murphy M *et al*
**Wise R** *see* Matthews RS *et al*
**Wölner-Hanssen P** *see* Weström L and Wölner-Hanssen P
**Wong P** *see* Fong IW *et al*
**Worm A-M** *see* Jensen JS *et al*

Z
**Zanconato G** *see* Lindstrand A *et al*
**Zihni L.** Positive syphilis test results in Down's syndrome in the past: a contemporary explanation: *correspondence*, **481**

# VOLUME 69: SUBJECT INDEX


A

**Accellone-Multi-Instrument brush** for cervical sampling for genital chlamydial infection diagnosis, **397**

*Actinomyces israelii*, female genital tract: *review*, **54**; *matters arising*, **158**

**Acyclovir**, oral, suppressive, effect on psychological morbidity associated with recurrent genital herpes, **457**

**Africa**, small spectrum of prevalent gonococcal auxotype/serovar classes: *matters arising*, **485**

**AIDS**
- attitudes of medical students, **377**
- Eighth International Conference, Amsterdam 1992, feedback, **224**
- and non tuberculous cavitory disease, West African man: *matters arising*, **408**
- and *S. aureus* pericarditis: *correspondence*, **324**

**Amsterdam**, STD clinic, HIV prevalence, heterosexual transmission risk, **23**

**Anogenital warts**, changes in HPV infection in patients and their partners, **450**

**Antibiotic** sensitivity of gonococci, and gonorrhoea, incidence, Australia, 1981–1991, **364**

**Antigenz Chlamydia**, and cell culture compared, for detection of genital chlamydial infection, **119**

**Attitudes** of medical students to HIV and AIDS, **377**

**Azole-resistant** *Candida glabrata*, causing persistent vulvo vaginal candidosis, management, **112**

B

**Bacterial vaginosis**, effect of lactic acid suppositories compared with oral metronidazole and placebo, **388**

**Bakker, Dr P G**, obituary, **320**

**Balanitis**, recurrent, clinical features and management, association with atopy and genital washing, **400**

**Biological false positive reaction**, and systemic disease, **469**

**Brush device**, for cervical sampling for genital chlamydial infection diagnosis, **397**

C

***Candida albicans***
- endometrial infection with as cause of recurrent vaginal thrush, **295**
- and *Trichomonas vaginalis* compared, cervix/vagina cultures, **41**

***Candida glabrata***, azole-resistant, causing persistent vulvo vaginal candidosis, management, **112**

**Candidiasis**, vaginal, in vitro resistance to imidazoles, **44**

**Catterall, Robert Duncan, CBE, FRCP, FRCPE**, obituary, **467**

**Cervical *Chlamydia trachomatis***, infection determinants, Italy, **123**

**Cervical cytology screening**, opportunistic, in a genitourinary medicine department, is it worthwhile? *correspondence*, **479**

**Cervical intraepithelial neoplasia**, cold coagulation, outcome, genitourinary medicine department, **63**

**Cervical intraepithelial neoplasia** and sexually transmitted pathogens, association between, developing community, **357**

**Cervical squamous epithelial lesions**, colposcopic case control study: *matters arising*, **80**

**Cervical warts**, exophytic, colposcopy indication: *matters arising*, **81**, **244**

**Children**, STD, **303**

**China**, modern, STDs, historical survey, **341**

***Chlamydia trachomatis***
- cervical infection, determinants, Italy, **123**
- ELISA and confirmatory test, male urine samples, **47**
- epidemiology using nested PCR: *correspondence*, **239**
- in males, urine and laboratory diagnosis, **51**
- mixed infections may be missed using nested PCR: *correspondence*, **481**
- sensitive detection and typing using nested PCR, **290**

**Chlamydial infection**
- endocervical, low prevalence in antenatal South Indian women: *correspondence*, **240**
- genital, cervical sampling with new brush device, **397**
- and gonococcal infection, genital, factors associated with, males, **393**
- oculo-genital, children, **213**

**Cinderella of Medicine**, STD in Britain in nineteenth and twentieth centuries, **314**

**Circumcision**, effect on clinical presentation and incidence of genital warts, **262**

**Clotrimazole**, lack of in vitro resistance of *C. albicans*, **44**

**Cold coagulation**, outcome for cervical intraepithelial neoplasia in genitourinary medicine department, **63**

**Colposcopic case control study** of cervical squamous epithelial lesions: *matters arising*, **80**

**Colposcopy**, and exophytic cervical warts: *matters arising*, **81**, **244**

**Condylomata acuminata**, recurrence following cryotherapy, interferon ineffectiveness, **91**

**Conference**, feedback from the Eighth International Conference on AIDS, Amsterdam 1992, **224**

**Correction**, **327**

**Cytomegalovirus infection**, in children, **303**

D

**DNA polymorphism assay**, new, of penicillinase-producing *Neisseria gonorrhoeae* strains: *correspondence*, **404**

**Donovanosis**, clinico-epidemiological study, Durban, South Africa, **108**

**Down's syndrome**, positive syphilis test results in the past, contemporary explanation: *correspondence*, **481**

E

**Edinburgh**, genital herpes types 1 and 2 infection, epidemiology, 1978–1991, **381**

**Endometrial infection** with *C. albicans* as cause of recurrent vaginal thrush, **295**

**Energix B vaccination**, followed by HBV infection: *correspondence*, **406**

**Epididymitis**, acute, microbiology, developing community, **361**

**Exophytic cervical warts**, colposcopy indication: *matters arising*, **81**, **244**

F

**Failed appointments**, analysis in genitourinary department: *correspondence*, **322**

**Fournier's gangrene**, and HIV disease: *matters arising*, **326**

G

**Genital chlamydial infection**
- cervical sampling with new brush device, **397**
- detection, Antigenz Chlamydia and cell culture compared, **119**
- factors associated with, males, **393**

**Genital herpes**
- management, effect of doctor's gender and experience, **115**
- recurrent, effect of suppressive oral acyclovir on psychological morbidity associated with, **457**
- types 1 and 2 infection, epidemiology, Edinburgh, 1978–1991, **381**

**Genital herpes simplex infection**, recurrent, adjustment to psychological and social sequelae, **384**

**Genital HPV infection**
- among patients attending an STD clinic, **446**
- not local but regional infection, experience from female teenage group, **18**
- pathogenesis, **165**

**Genital HPV lesions**, male, diagnosis with peniscopy, histology and in situ hybridisation, **346**
- *see also* Human papillomavirus

**Genital infection**, women, risk profiles, **257**

**Genital sore**, osteomyelitis presenting as, case report, **460**

**Genital ulcer disease**, soap and water prophylaxis in sub-Saharan Africa, **297**

**Genital ulcers**, prominent, and HIV-infection: *correspondence*, **78**

**Genital warts**
- among circumcised and uncircumcised heterosexual men, **262**
- dual genitotropic HPV infections, **60**

**Genitourinary department**
- analysis of failed appointments: *correspondence*, **322**
- opportunistic cervical cytology screening, is it worthwhile? *correspondence*, **479**

**Genitourinary medicine clinic**, satellite, establishing: *correspondence*, **480**

**Gonococcal and chlamydial infection**, genital, factors associated with, males, **393**

**Gonococcal mastitis** in a male, **222**

**Gonococci**
- direct culture in patient care area: *correspondence*, **405**
- small spectrum of prevalent auxotype/serovar classes, Africa: *matters arising*, **485**

**Gonorrhoea**
- and antibiotic sensitivity of gonococci, incidence, Australia, 1981–1991, **364**

association with premature birth and low birthweight, **98**
in children, **66**
effectiveness of norfloxacin and ofloxacin, and decrease of susceptibility to quinolones over time, **196**
transmission through an inflatable doll: *correspondence*, **322**

H
**Hepatitis B virus infection**
carrier status, prevalence and awareness, Italy: *correspondence*, **241**
in children, **303**
post Energix B vaccination: *correspondence*, **406**
**Hepatitis C virus infection**, risk among prostitutes: *correspondence*, **321**
**Herpes simplex virus infection**
in children, **303**
diagnosis, laboratory techniques, **174**
**Herpes zoster transverse myelitis**, detection of VZV DNA using PCR, **273**
**HIV**
/AIDS, epidemic among the young, implications of sexual behaviour, New Zealand, **133**
antibody positive patients, and paranasal sinus disease, **208**
attitudes of medical students, **377**
disease
in Africans of high social class: *correspondence*, **242**
and Fournier's gangrene: *matters arising*, **326**
infection
partner notification, Newcastle upon Tyne experience, **94**
risk among prostitutes: *correspondence*, **321**
risk behaviour, and sexual behaviour, women in three clinical settings, **441**
and secondary syphilis, Wassermann reaction in peripheral blood: *correspondence*, **77**
Tirupathi, India: *matters arising*, **81**
tissue erosion with perianal warts, **312**
in women, outpatient follow-up, Parkside Health Authority (UK), **370**
media campaigns, and number of patients coming forward for HIV antibody testing, association between, **193**
and other STDs, rural hospital, Zimbabwe, **352**
pathogenesis: *editorial*, **1**
prevalence among clients attending STD clinic, Amsterdam, potential risk for heterosexual transmission, **23**
prevalence and risk behaviour among prostitutes and clients, Amsterdam, migrants at increased risk for HIV infection, **251**
seropositive patients, defective IgG2 response to *Pneumovax*, **373**
women with presenting at three London clinics between 1985–1992, **439**
**HIV-1**
antibodies, testing of saliva samples, reliability in non-clinic setting, **29**
infection
neurological complications, pathogenesis, **333**
primary, associated with prominent genital ulcers: *correspondence*, **78**
and pulmonary nocardiosis, West African man: *matters arising*, **244**
soap and water prophylaxis in sub-Saharan Africa, **297**
**Human papillomavirus**
DNA
absence in genital specimens from infants, **270**
lack of detection in male urine samples, **276**
in urogenital tracts of men with gonorrhoea, penile warts or genital dermatoses, **187**
high-risk types, prevalence in penile condyloma-like lesions, **87**
infection
changes in patients with anogenital warts and their partners, **450**
dual genitotropic, in genital warts, **60**
genital
among patients attending an STD clinic, **446**
pathogenesis, **165**
lesions, genital, male, diagnosis with peniscopy, histology and in situ hybridisation, **346**
in teenagers, as regional rather than local infection, **18**
**Human retroviral infections**, prevalence, female patients, central London STD clinic, 1985–1990, **31**

I
**Imidazoles**, lack of in vitro resistance of *C. albicans*, **44**
**Immunoglobulin G2**, defective response to *Pneumovax* in HIV seropositive patients, **373**
**India**
HIV infection: *matters arising*, **81**
STDs, nineteenth and twentieth century, **3**
**Inflammatory smear results** in general practice, management, **126**
**Inflatable doll**, and transmission of gonorrhoea: *correspondence*, **322**
**Interferon**, ineffectiveness in condylomata acuminata recurrence following cryotherapy, **91**
**Itraconazole**, lack of in vitro resistance of *C. albicans*, **44**

K
**Kaposi's sarcoma**, and oro-anal sex: *correspondence*, **77**
**Ketoconazole**, lack of in vitro resistance of *C. albicans*, **44**

L
**Laboratory techniques**, in diagnosis of herpes simplex infection, **174**
**Lactic acid suppositories**, oral metronidazole and placebo compared, in bacterial vaginosis, **388**
**Lichen sclerosus**, asymptomatic, and vulval carcinoma: *correspondence*, **323**
**London**
STD clinic, human retroviral infections, prevalence, female patients, 1985–1990, **31**
women with HIV presenting at three clinics between 1985–1992, **439**
**Low birthweight**, association with gonorrhoea and syphilis, **98**
**Lysozyme** and different components of serum in rapid immobilisation of *T. pallidum* (Nichols), **280**

M
**Mastitis**, gonococcal, in a male, **222**
**Medical Society for the Study of Venereal Diseases**, report, **82**
**Medical students**, attitudes to HIV and AIDS, **377**
**Metronidazole**
oral, lactic acid suppositories and placebo compared, in bacterial vaginosis, **388**
in vitro susceptibility of *Trichomonas vaginalis* strains: *correspondence*, **241**
**Mexico**, venereal diseases, historical account, **462**
**Migrants** to Amsterdam, at risk for HIV infection, **251**
**Molluscum contagiosum**, in children, **303**
**Mozambican women** with second trimester miscarriage and women attending antenatal care in second trimester, prevalence of syphilis infection, **431**
**Mozambique**, rural area, high prevalence of STDs, **427**
***Mycoplasma genitalium***, cause of male urethritis?, **265**

N
***Neisseria gonorrhoeae***
isolated at St Mary's Hospital London, 1980-91, **286**
in male STD patients, small spectrum of prevalent gonococcal auxotype/serovar classes, Africa: *matters arising*, **485**
penicillinase producing
associated with severe vulvovaginitis in a post menopausal woman: *correspondence*, **482**
from St Thomas' Hospital 1976–1990, the first fifteen years, **201**
penicillinase-producing strains, new DNA polymorphism assay: *correspondence*, **404**
**Netherlands**, STDs reported by STD services, 1984–1990, **434**
**Neurological complications**, pathogenesis, of HIV-1 infection, **333**
**Non tuberculous cavitory disease** in a West African man with AIDS: *matters arising*, **408**
**Norfloxacin**, effectiveness in gonorrhoea, and decrease of susceptibility to quinolones over time, **196**
**Notices**, **82**, **158**, **244**, **410**, **486**

O
**Obituary**
P G Bakker, **320**
Robert Duncan Catterall, **467**
**Ofloxacin**, effectiveness in gonorrhoea, and decrease of susceptibility to quinolones over time, **196**
**Oro-anal sex**, and occurrence of Kaposi's sarcoma: *correspondence*, **77**
**Osteomyelitis** presenting as genital sore, case report, **460**

P
**Paranasal sinus disease** in HIV antibody positive patients, **208**
**Paroxysmal cold haemoglobinuria**, in syphilis: *correspondence*, **76**
**Pelvic inflammatory disease**, pathogenesis: *review*, **9**
**Penicillinase-producing *Neisseria gonorrhoeae***
associated with severe vulvovaginitis in a postmenopausal woman: *correspondence*, **482**
from St Thomas' Hospital 1976–1990, the first fifteen years, **201**
**strains**, new DNA polymorphism assay: *correspondence*, **404**
**Penile condyloma-like lesions**, and high-risk HPV prevalence, **87**
**Penis**, cutaneous vasculitis presenting on, **301**
**Perianal ulcerations**, chronic, role of *Trichomonas vaginalis*? *correspondence*, **483**
**Perianal warts**, tissue erosion, in HIV infection, **312**
***Pneumocystis carinii* pneumonia**, systemic prophylaxis with dapsone and pyrimethamine, failure against extrapulmonary pneumocystosis, **130**
**Pneumocystosis**, extrapulmonary, failure of *Pneumocystis carinii* prophylaxis, **130**

***Pneumovax***, defective IgG2 response in HIV seropositive patients, **373**
**Premature birth**, association with gonorrhoea and syphilis, **98**
**Prostitutes**
and clients, and HIV infection, Amsterdam, migrants at increased risk, **251**
risk for HCV and HIV infections: *correspondence*, **321**
**Pulmonary nocardiosis** in West African man with HIV-1 infection: *matters arising*, **244**

R
**Risk behaviour for HIV-1 infection** and sexual behaviour, women in three clinical settings, **441**

S
**Saliva**, testing of samples for HIV-1 antibodies, reliability in non-clinic setting, **29**
**Salpingitis**, acute, pathogenesis: *review*, **9**
**Sexual behaviour** and risk behaviour for HIV infection, women in three clinical settings, **441**
**Sexually transmitted disease syndromes**, north-western Tanzania. 1. Prevalence and incidence, **415**. 2. Risk factors and health seeking behaviour, **421**
**Sexually transmitted diseases**
in Britain in nineteenth and twentieth centuries, **314**
in children, **303**
adolescents, **141**
chlamydial oculo-genital infection, **213**
syphilis and gonorrhoea, **66**
clinic
central London, human retroviral infections, prevalence, female patients, 1985–1990, **31**
HIV prevalence, heterosexual transmission risk, Amsterdam, **23**
Diagnostics Initiative: *correspondence*, **242**
high prevalence, rural area, Mozambique, **427**
history: *editorial*, **2**
importance of ethnicity: *matters arising*, **158**
in modern China, historical survey, **341**
national trends, Zambia, 1987-89: *matters arising*, **81**
nineteenth and twentieth century India, **3**
pathogenesis: *editorial*, **1**
reported by STD services, Netherlands, 1984–1990, **434**
rise and fall, Sweden, **184**
risk, teenagers: *matters arising*, **80**
rural hospital, Zimbabwe, **352**
Thailand, policy and politics, historical perspective, **148**
**Sexually transmitted pathogens** and CIN, association between, developing community, **357**
**Skin biopsy** in syphilis and yaws, **102**; correction, **327**; *matters arising*, **408**
**Smear tests** for *Trichomonas vaginalis* and *Chlamydia trachomatis*, management of results in general practice, **126**
**Soap and water prophylaxis** for limiting genital ulcer disease and HIV-1 infection in men in sub-Saharan Africa, **297**
***Staphylococcus aureus*** pericarditis in a patient with AIDS: *correspondence*, **324**
**Sub-Saharan African woman** with HIV infection, outpatient follow-up, **370**
**Syphilis**
association with premature birth and low birthweight, **98**
in children, **66**
north-western Tanzania. 1. Prevalence and incidence, **415**. 2. Risk factors and health seeking behaviour, **421**
and paroxysmal cold haemoglobinuria: *correspondence*, **76**
positive test results in Down's syndrome in the past, contemporary explanation: *correspondence*, **481**
prevalence in Mozambican women with second trimester miscarriage and women attending antenatal care in second trimester, **431**
secondary, and HIV infection, Wassermann reaction in peripheral blood: *correspondence*, **77**
skin biopsy, **102**; correction, **327**; *matters arising*, **408**
**Systemic disease** and the biological false positive reaction, **469**

T
**Tanzania**, north-western, syphilis and sexually transmitted disease syndromes. 1. Prevalence and incidence, **415**. 2. Risk factors and health seeking behaviour, **421**
**Thrush**, vaginal, recurrent, endometrial infection with *C. albicans* as cause, **295**
**Tissue erosion** with perianal warts in HIV infection, **312**
***Treponema pallidum* (Nichols)**, lysozyme and components of serum in rapid immobilisation, **280**
**Treponemes**, localisation, and characterisation of inflammatory infiltrate, skin biopsies, syphilis and yaws, **102**; correction, **327**; *matters arising*, **408**
***Trichomonas vaginalis***
and *Candida albicans* compared, cervix/vagina cultures, **41**
contact-independent cytotoxicity, **35**
role in chronic perianal ulcerations: *correspondence*, **483**
strains, in vitro susceptibility to metronidazole: *correspondence*, **241**

U
**Urethritis**, male, *M. genitalium* as cause, **265**
**Urogenital tracts** of men with gonorrhoea, penile warts or genital dermatoses, HPV DNA, **187**

V
**Vaginosis**, bacterial, effect of lactic acid suppositories compared with oral metronidazole and placebo, **388**
**Varicella-zoster DNA**, detection using PCR in immunocompromised patients with transverse myelitis secondary to herpes zoster, **273**
**Vasculitis**, cutaneous, presenting on the penis, **301**
**Venereal diseases**, Mexico, historical account, **462**
*see also* Sexually transmitted diseases
**Vulval carcinoma**, and asymptomatic lichen sclerosus: *correspondence*, **323**
**Vulvo vaginal candidosis**, persistent, due to azole-resistant *Candida glabrata*, management, **112**
**Vulvovaginitis**, severe, and penicillinase producing *Neisseria gonorrhoeae*, post menopausal woman: *correspondence*, **482**

W
**Wassermann reaction** in peripheral blood, secondary syphilis and HIV infection: *correspondence*, **77**

Y
**Yaws**, skin biopsy, **102**; correction, **327**

Z
**Zambia**, national STD trends, 1987-89: *matters arising*, **81**
**Zimbabwe**, rural hospital, HIV and other STDs, **352**